

VFP 50

The Architectural Floor

The VFP Collection of vitrified, unglazed stoneware tile was developed to provide the architect and specifier with a precise and economical solution for innovative design.

The individual VFP tile size is 50x50x5mm (2"x2" approx), supplied sheeted on perforated paper panels, for ease of installation.

VFP can be used as an alternative to traditional tessellated and geometric flooring or to create individual designs. The tiles are produced in a wide spectrum of colours, offering endless possibilities.

The Vitrified Floor Panels and Borders

In this brochure we present 8 individual panels sheeted on perforated paper in sizes 530x530x5mm (21"x21" approx.) and 318x318x5mm (12.5"x12.5" approx.) and 6 complementary borders 530x265x5mm (21"x10.5" approx.).


Suitable for domestic or commercial application. VFP can be used in internal and external projects including swimming pools.




VITRIFIED *Floor Panels*

Panels "Edition 500"

A selection of 8 popular designs based on traditional patterns. An infinite variety of effects can be obtained by simply changing a colour. Each panel size: 530x530mm (21"x21" approx).



PN 500/D01



PN 500/D02




PN 500/D03°



PN 500/D04



PN 500/D05°




PN 500/D06°



PN 500/D07



PN 500/D08



PANEL SIZE (excl. 3mm grouting)

°The printed design tiles shown in this brochure are an optional extra, supplied separately, on perforated paper.

Panels should be linked together to form a continuous tessellated floor. Substitute colours within a design and the permutations of pattern that can be obtained are limited only by the breadth of a designer's imagination.

Sample of sheeted panel using perforated paper for ease of installation.




Panels "Edition 300"


Another selection of 8 unique designs. Each panel size: 318x318mm (12.5"x12.5" approx). The combination of these traditional themes and contemporary designs and brilliant colours makes VFP 50 the ultimate choice where quality of design is the main criterion.



PN 300/D01




PN 300/D02°



PN 300/D03




PN 300/D04



PN 300/D05°



PN 300/D06°



PN 300/D07



PN 300/D08


°The printed design tiles shown in this brochure are an optional extra, supplied separately, on perforated paper.

Borders

Perhaps the finest effect of a traditional floor is to be found in the border designs of the period. Borders provide a further opportunity for individual creativity. Each border size is 530x265mm (21"x10.5" approx.).




BR/D01




BR/D02




BR/D03



BR/D04



BR/D05



BR/D06

Caution

Due to printing and photography variations the tile colours shown may vary slightly from actual tiles. Before making your choice it is advisable to ask your Olde English supplier to show you actual sample tiles to check against other colours within overall scheme.




Versatile Panels


For a contemporary theme, Versatile Panels are offered in a range of deep rich colours making them adaptable and easily utilised in commercial applications.

Choose a pattern, Transform a room


This selection of 15 design panels is offered in size 530x530x5mm (21"x21" approx.) and can be mixed with other panels to create a unique contemporary design floor for unlimited applications. The appearance of these panels can be altered dramatically by a simple colour change, thus allowing maximum decorative potential for the designer to create an individual theme.




VPP-01




VPP-02




VPP-03




VPP-04




VPP-05




VPP-06




VPP-07




VPP-08



VPP-09




VPP-10




VPP-11




VPP-12



VPP-13



VPP-14




VPP-15



As these pages show, VFP can be used to create a stunning effect throughout the home or in public buildings, in internal or external applications.





The traditional tessellated floor tile played a significant role in English architectural heritage. Originally they were used to decorate medieval churches, monasteries and the home of the aristocracy.

Every effort has been made to ensure the accuracy of the information given in this brochure. However, the company reserves the right to change specification without prior notice.

Colour

Standard VFP 50 (Panels, Borders and Bodytiles) are available in:



Colours shown are as accurate as the limitation of printing process will allow. Reference to actual product samples recommended.




Some Suggested Patterns



A combination of panels "Edition 300" and border BR/D01



A continuous pattern, panel PN 500/D04



Contemporary floor using VPP-06



Traditional floor using PN 500/D07

Technical Data

The results obtained for our products, which are pressed as simple tiles, easily exceeds the required values. Olde English Tiles are manufactured in France by Ets Winckelmans to European standards. Where the tiles have also been tested by tile council of America Inc. using ASTM methods, these results have been substituted on this data sheet for the equivalent European tests.

CHARACTERISTICS	REQUIRED VALUES	RESULTS OF TESTS
Surface hardness (Mohs Scale)	6	superior to 6
Acid resistance Alkali resistance	No trace of deterioration Weight variance Less than 1%	up to standard Below 0.2%
Resistance to Abrasion (Capon Scale)	Minimum:2300	4300 to 5200
Modules of rupture	Minimum: 250Kgf/cm ²	From 380 to 450Kgf/cm ²
Crushing Strength	Greater than 1500kgf/cm ²	From 3200 to 5550 Kgf/cm ²
Porosity	Maximum: 3%	0.03% to 0.6%

